

AD-A261 962


(1)

GEODETIC SURVEY GROUP

F.E. WARREN AFB, WYOMING 82005-6300

DETACHMENT 4 (DET 4/GSG)
Patrick AFB, Florida 32925-6437

DTIC
ELECTE
MAR 5 1993
S C D



DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited

TRANSFORMATION VALUES

LOCAL DATUM TO WGS 84

EASTERN TEST RANGE AREA

November 1988

93-04628



98 23 011

| | |
|--------------------------------------|---|
| Accession For | |
| NTIS | CRA&I <input checked="" type="checkbox"/> |
| DTIC | TAB <input type="checkbox"/> |
| Unannounced <input type="checkbox"/> | |
| Justification _____ | |
| By _____ | |
| Distribution / _____ | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A-1 | |

**TRANSFORMATION VALUES
LOCAL DATUM TO WGS 84
EASTERN TEST RANGE AREA**

Prepared By:

Patrick J. Gilligan
 PATRICK J. GILLIGAN, GM-13
 Supervisory Geodesist

Approved By:

Richard M. Chapin
 RICHARD M. CHAPIN, Maj., USAF
 Commander GSS4

TABLE OF CONTENTS

| | Page # |
|--------------------------|---------------|
| References | 1 |
| Introduction | 2 |
| Table 1 | 3 |
| Table 2 | 4 |
| Addendum 1 | 6 |
| Addendum 2 | 11 |
| Distribution List | 13 |

REFERENCES

- a. DMA Technical Report 8350.2, Department of Defense World Geodetic System 1984, 30 Sep 1987.
- b. NGS Published NAD83 Geodetic Positions.
- c. GSS4 Report, Transformation Values, Local Datum to WGS84 for Eastern Test Range and AUTEC Areas, 15 Oct 1987.
- d. RCA Work Request 1988-2-G, Geodetic Position of Doppler Stations at Designated Sites, 18 Feb 88.

1. Introduction

In the early 1980's the Defense Mapping Agency (DMA) in conjunction with other agencies developed a new World Geodetic System (WGS 84) to replace the existing WGS 72 which has been in use for several years. This new WGS 84 system has an improved Earth Gravitational Model (EGM) with orientation and scale changes from the WGS 72. The WGS 84 was developed using worldwide doppler derived station coordinates, laser satellite tracking data, satellite radar altimetry and gravity observations. Reference a. gives the unclassified information pertaining to the WGS 84 and it's relationship with various datums throughout the world. The following report provides transformation parameters to determine WGS 84 coordinates for geographical areas of interest to the Eastern Test Range (ETR). The delta values vary slightly (< 2m) from Reference a. due to direct satellite observation with doppler receivers in each area and reduction on the WGS 84 system which improves the accuracy of the results. The delta X Y Z values given in Table 2 supersede those values given in Reference c. for the applicable areas.

2. General

The WGS 84 Coordinate System is a Conventional Terrestrial System determined by modifying the Navy Navigation Satellite System Doppler Reference Frame (NSWC 92-2) in origin and scale and rotated to bring its reference meridian into coincidence with the Bureau International de L' Heure (BIH) Zero Meridian of 1984.0. During the time frame of the WGS 84 development, the National Geodetic Survey (NGS) developed a new Geodetic Reference System (GRS 80) to use in readjusting the North American Datum 1927 (NAD 27). For practical purposes the defining parameters for the WGS 84 and GRS 80 are the same. The NAD 27 has been readjusted and upgraded to NAD 83 using GRS 80 ellipsoid parameters and BIH Zero Meridian of 1984.0

3. WGS 84 for ETR Area

Table 1 gives the defining parameters for the WGS 84 and other ellipsoids associated with local datums in the ETR area. Table 2 gives the translation constants resulting from direct doppler observations in the various areas of the ETR. The delta values agree within 1 meter of the computed values given in Reference a. within CONUS and 2 meters for the downrange sites. The delta values given for NAD 83 to WGS 84 result from different observational and computational methods being used to determine the geodetic positions.

TABLE 1
Reference Ellipsoids of Geodetic Datums

| Ellipsoid | Datum | a (meter) | b (meter) | f | ϵ^2 |
|---------------|-----------------|-------------|-------------|---------------|-----------------------|
| Clarke 1866 | NAD 27 | 6378206.400 | 6356583.800 | 1/294.9786982 | 0.006768658000 |
| | OCD 64 | | | | |
| | Bermuda 1957 | | | | |
| International | Ascension Astro | 6378388.0 | 6356911.946 | 1/297.0 | 0.006722678922 |
| SAO C-7 | SAO-67 | 6378142.0 | 6356757.138 | 1/298.255 | 0.006694429814 |
| DOD WGS 72 | WGS 72 | 6378135.0 | 6356750.52 | 1/298.26 | 0.006694317778 |
| DOD WGS 84 | WGS 84 | 6378137.0 | 6356752.314 | 1/298.2572236 | 0.006694379998 |
| GRS 80 | NAD 83 | 6378137.0 | 6356752.314 | 1/298.2572221 | 0.006694380023 |

TABLE 2
Translation Values
Local Geodetic System to WGS 84

| Local Geodetic System | Reference Ellipsoid | Number of Doppler Stations Used | X (m) | Y (m) | Z (m) |
|---------------------------------------|--------------------------------------|---------------------------------|------------------|------------------|------------------|
| OCD, 1964 (PAFB, OCAF'S KSC, Malabar) | CLARKE 1866 | 9 | - 3.00 | 157.35 | 178.06 |
| OCD 1964 (JDIF) | Clarke 1866 | 1 | - 2.05 | 158.16 | 178.54 |
| NAD 1927 (Folly Beach, SC) | Clarke 1866 | 1 | - 9.64 | 161.09 | 177.63 |
| NAD 1927 (Richmond, FL) | Clarke 1866 | 1 | - 2.86 | 154.54 | 180.01 |
| NAD 1927 (Hiran Sol IV) (Antigua) | Clarke 1866 | 1 | - 9.28 | 171.93 | 188.18 |
| NAD 1927 (Hiran Sol IV) (Anguilla) | Clarke 1866 | 1 | -12.23 | 172.53 | 183.76 |
| Bermuda 1957 (Bermuda) | Clarke 1866 | 1 | -71.85 | 215.86 | 295.88 |
| Ascension Astro (Ascension) | International | 2 | -207.34 | 107.66 | 53.20 |
| NAD 83 (PAFB, OCAF'S KSC, Malabar) | GRS 80 | 9 | 0.51 | 0.46 | 0.69 |
| NAD 83 (JDIF) | GRS 80 | 1 | 0.61 | 0.58 | 0.91 |
| NAD 83 (Folly Beach, SC) | GRS 80 | 1 | 0.94 | 0.49 | 0.50 |
| NAD 83 (Richmond, FL) | GRS 80 | 1 | 0.43 | 0.45 | 0.78 |
| PAFB, OCAF'S, KSC & Malabar | NAD 83 to WGS 72 OCD 64 to NAD 83 | | -15.49 - 3.51 | - 1.89 159.89 | - 5.37 177.37 |

4. Addendum 1 contains the results of the individual station observations compared with local datum coordinates. The standard deviation of the shifts were computed using the standard formula

$$\sqrt{\frac{\sum v^2}{n-1}}$$

This is a measure of the consistency of the observations and should not be construed as an accuracy of the WGS 84 coordinates. The accuracy for WGS 84 coordinates given in Reference 1.a. of $\sigma_\phi = \sigma_\lambda = \pm 1m$ and $\sigma_H = \pm 1$ to $\pm 2m$ should be used.

5. Addendum 2 contains the same WGS 84 results given in Addendum 1 but compared with the NAD 83 coordinates. These values should theoretically be the same but because of the different methods of observation and computation, there are minor differences of approximately 0.8 m in latitude and 0.6m in longitude as indicated. The geodetic heights for NAD 83 were assigned the WGS 84 observed value.

6. Readjustments of the local geodetic networks using the NGS NAD 83 coordinates as control has been accomplished for each of the applicable areas. The transformation to WGS 84 will be accomplished for all areas using the delta X Y Z values given in Table 2. The NAD 83, CCD 64 or Local Datum, WGS 72, and WGS 84 coordinates are currently available at GSS4, however, after 1 Jan 1989 the CCD 64 and WGS 72 data files will no longer be updated or maintained by GSS4. These coordinates can be furnished for an individual project only if specifically requested.

7. In addition to the geodetic latitude and longitude, deflection of the vertical components are often required for system operation. To determine these values in the ETR areas, astronomic positions were observed at various locations throughout the range from which direct comparison can be made or adequate interpolation accomplished. The meridional component (MC) is determined from the difference in astronomic and geodetic latitudes ($\phi_A - \phi_G$). The prime vertical component (PVC) is determined by $(\lambda_A - \lambda_G) \cos \phi$. Because of the non-coincidence of the longitude origins for the astronomic longitude and the NAD 27 and WGS 72 geodetic longitudes, a correction of +0.51 arc seconds (west longitude positive) was applied to the astronomic longitude before computing the PVC. The NAD 83 and WGS 84 longitudes of reference are coincident with the astronomic longitudes consequently this correction is no longer applicable. To compute the PVC relative to WGS 84 from existing WGS 72 PVC values use the following: $\eta_{84} = \eta_{72} + 0.044 \cos \phi_{84}$ (west longitude positive).

8. Observations in the AUTEC Range Area, Andros Island are scheduled for 2nd Quarter of FY89. The final shifts for this area should be available 1 Mar 89 and will be distributed in a separate letter.

ADDENDUM 1

TABULATION OF DATUM SHIFTS

LOCAL DATUM TO WGS84

DATUM SHIFTS (PAFB, OCAF, KSC, Malabar)

| STATION | STA NO. | DATUM | LATITUDE(N) | LONGITUDE(W) | GEOETIC HEIGHT(m) | GEOID HEIGHT(m) | X | Y | Z | ELEV(m) | |
|-----------------|---------------|-------|----------------|----------------|-------------------|-----------------|-----------|-------------|-------------|------------|--|
| HANSON | 11590 | CCD64 | 28° 14' 16"801 | 80° 36' 40"601 | 9.71 | 7.95 | 917356.07 | -5548076.07 | 2999605.58 | 1.756 | |
| | | WGS84 | 28 14 17.861 | 80 36 39.771 | -27.40 | -29.15 | 917352.92 | -5547918.33 | 2999783.48 | | |
| AFETR | 10198 | CCD64 | 28 15 17.049 | 80 36 20.117 | 25.71 | 7.89 | 917766.06 | -5547132.90 | 3001246.93 | 17.823 | |
| | | WGS84 | 28 15 18.111 | 80 36 19.262 | -10.65 | -28.47 | 917763.67 | -5546975.63 | 3001425.28 | | |
| N01 | Deltas | CCD64 | 28 27 24.632 | 80 31 43.844 | 12.76 | 7.86 | 923442.81 | -5535394.75 | 3020951.08 | 4.903 | |
| | | WGS84 | 28 27 25.643 | 80 31 43.021 | -23.78 | -28.68 | 923439.32 | -5535237.78 | 3021128.56 | | |
| CX46 PED | NSWC 187.5 | CCD64 | 28 25 06.507 | 80 35 35.102 | 11.18 | 7.92 | 917566.83 | -5538422.84 | 3017211.35 | 3.265 | |
| | | WGS84 | 28 25 07.555 | 80 35 34.277 | -25.92 | -29.19 | 917563.42 | -5538264.91 | 3017389.46 | | |
| CID | 11644 | CCD64 | 28 28 10.005 | 80 34 44.520 | 26.76 | 7.91 | 918486.82 | -5535556.94 | 3022185.68 | 16.854 | |
| | | WGS84 | 28 28 11.022 | 80 34 43.686 | -9.48 | -28.33 | 918483.79 | -5535400.06 | 3022363.51 | | |
| NPF DOP STA | 32029 | CCD64 | 28 32 55.436 | 80 34 05.025 | 16.47 | 7.85 | 918857.97 | -5531234.81 | 3029902.11 | 8.619 | |
| | | WGS84 | 28 32 56.455 | 80 34 04.186 | -19.66 | -28.28 | 918855.01 | -5531077.80 | 3030080.28 | | |
| CX47 DOP STA | 32044 | CCD64 | 28 36 05.840 | 80 38 25.946 | 13.03 | 7.88 | 911403.89 | -5529623.43 | 3035048.00 | 5.154 | |
| | | WGS84 | 28 36 06.855 | 80 38 25.117 | -23.54 | -28.69 | 911400.77 | -5529466.03 | 3035226.00 | | |
| NITRO | 11635 | CCD64 | 28 36 50.453 | 80 39 15.116 | 13.75 | 7.96 | 911268.74 | -5537028.92 | 3021650.36 | 5.794 | |
| | | WGS84 | 28 36 51.494 | 80 39 14.273 | -0.843 | -22.78 | -28.57 | 911266.06 | -5536871.41 | 3021828.68 | |
| CIGAR | 11698 | CCD64 | 28 27 28.544 | 80 41 05.754 | 16.36 | 8.29 | 912029.05 | -5560259.83 | 2978753.42 | 8.073 | |
| | | WGS84 | 28 27 29.629 | 80 41 04.922 | -20.32 | -28.39 | 912026.26 | -5560102.42 | 2978931.84 | | |
| RML 3 | 11619 | CCD64 | 28 01 28.544 | 80 41 04.922 | -0.832 | -36.68 | -2.78 | 157.42 | 178.42 | | |
| | | WGS84 | 28 01 29.629 | 80 41 04.922 | -0.832 | -36.59 | -3.00 | 157.35 | 178.06 | | |
| Mean Deltas (9) | | | | | | | | | | | |
| + 0.34 | | | | | | | | | | | |
| + 0.35 | | | | | | | | | | | |
| + 0.36 | | | | | | | | | | | |
| + 0.36 | | | | | | | | | | | |

DATUM SHIFTS (JDIF)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEOSTATIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | ELEV (m) |
|--------------|---------|--------|-----------------|-----------------|----------------------|------------------|-----------|-------------|------------|----------|
| J.D. PARK | 11517 | OCD64 | 26° 58' 55.315" | 80° 06' 31.695" | 20.26 | 9.61 | 977056.82 | -5603366.71 | 2876288.92 | 10.651 |
| | | WGS84 | 26 58 56.548 | 80 06 30.783 | -17.35 | -27.85 | 977054.77 | -5603208.55 | 2876467.46 | |
| | | Deltas | 1.233 | -0.912 | -37.46 | -2.05 | 158.16 | 178.54 | | |

DATUM SHIFTS (Folly Beach, SC)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEOSTATIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | ELEV (m) |
|---------|---------|--------|-----------------|-----------------|----------------------|------------------|-----------|-------------|------------|----------|
| MIKE | 11786 | NAD27 | 32° 41' 07.649" | 79° 53' 15.681" | 7.36 | 4.75 | 943472.60 | -5290041.12 | 3424473.41 | 2.611 |
| | | WGS84 | 32 41 08.301 | 79 53 14.959 | -31.44 | -34.95 | 943462.96 | -5289980.03 | 3424651.94 | |
| | | Deltas | 0.652 | -0.722 | -38.80 | -9.64 | 161.09 | 177.63 | | |

DATUM SHIFTS (Richmond, FL)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEOSTATIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | *ELEV (m) |
|---------|---------|--------|-----------------|-----------------|----------------------|------------------|-----------|-------------|------------|-----------|
| TIMER | 20038 | NAD27 | 25° 36' 49.355" | 80° 23' 03.433" | 14.05 | 10.05 | 961321.66 | -5674210.98 | 2740384.94 | 4.002 |
| | | WGS84 | 25 36 50.762 | 80 23 02.609 | -20.90 | -25.06 | 961318.80 | -5674056.44 | 2740564.95 | |
| | | Deltas | 1.407 | -0.824 | -35.11 | -2.86 | 154.54 | 180.01 | | |

*Feb 79 Elevation

DATUM SHIFTS (Antigua)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | HEV (m) |
|---------|---------|-------------------------|------------------|------------------|---------------------|------------------|------------|-------------|------------|---------|
| PAT | 10005 | HIRAN SOL IV (NAD27) | 17° 08' 32":51.5 | 61° 47' 34":53.4 | 41.74 | 6.00 | 2881658.58 | -5372677.66 | 1867793.77 | 35.739 |
| | | WGS84 | 17 08 35.512 | 61 47 32.061 | -2.98 | -38.72 | 2881649.30 | -537 05.73 | 1867981.95 | |
| Deltas | | | 2.997 | -2.473 | -44.72 | -9.28 | 171.93 | 188.18 | | |

DATUM SHIFTS (Anguilla)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | HEV (m) |
|----------|---------|-------------------------|------------------|------------------|---------------------|------------------|------------|-------------|------------|---------|
| ANGUILLA | 10007 | HIRAN SOL IV (NAD27) | 18° 13' 02":43.3 | 63° 03' 56":40.1 | 71.86 | 5.00 | 2745258.45 | -5403173.10 | 1981151.83 | 66.86 |
| | | WGS84 | 18 13 05.147 | 63 03 54.112 | 24.16 | -42.70 | 2745246.22 | -5403000.57 | 1981335.59 | |
| Deltas | | | 2.714 | -2.289 | -47.70 | -12.23 | 172.53 | 183.76 | | |

DATUM SHIFTS (Bermuda)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | HEV (m) |
|---------|---------|--------------|------------------|------------------|---------------------|------------------|------------|-------------|------------|---------|
| WELL | 11819 | BERMUDA 1957 | 32° 20' 46":75.5 | 64° 39' 26":01.9 | 10.99 | 0.0 | 2308694.55 | -4874659.22 | 3392762.92 | 10.991 |
| | | WGS84 | 32 20 51.820 | 64 39 24.970 | -20.04 | -31.03 | 2308622.70 | -4874443.36 | 3393058.80 | |
| Deltas | | | 5.065 | -1.050 | -31.03 | -71.85 | 215.86 | 295.88 | | |

DATUM SHIFTS (Ascension)

| STATION | STA NO. | DATUM | LATITUDE(S) | LONGITUDE(W) | HEIGHT(m) | X | Y | Z | ELEV(m) |
|-----------------|---------|--------------|-----------------|-----------------|-----------|------------|-------------|-------------|------------|
| DEVIL | 11652 | ASC WGS84 | 07° 57' 17" 886 | 14° 19' 39" 616 | 537.99 | 0.00 | 6121437.91 | -1563483.60 | -876931.84 |
| Deltas | | 97 57 16.376 | 14 19 37.872 | 554.60 | 16.61 | 6121230.71 | -1563375.74 | -876878.42 | |
| DOP | 31846 | ASC WGS84 | 07 57 05.259 | 14 24 45.236 | 88.91 | 0.00 | 6118732.91 | -1572453.85 | 88.914 |
| Deltas | | 07 57 04.464 | 14 24 43.518 | 105.34 | 16.43 | 6118525.44 | -1572346.39 | -876454.98 | |
| Mean Deltas (2) | | 1.494 | 1.712 | | 16.43 | -207.47 | 107.46 | 52.98 | |
| | | | | +16.52 | -207.34 | 107.66 | 53.20 | | |
| | | | | ± 0.09 | ± 0.19 | ± 0.28 | ± 0.31 | | |

ADDENDUM 2
TABULATION OF DATUM SHIFTS
NAD83 TO WGS84

DATUM SHIFTS (PAFB, CCAFS, KSC, Malabar)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEOGRAPHIC HEIGHT (m) | GEODETIC HEIGHT (m) | GEOID HEIGHT (m) | X | Y | Z | ELEV (m) |
|--------------------|--------------------------|--------------|----------------|----------------|-----------------------|---------------------|------------------|-------------|------------|--------|--------------------------------------|
| HANSON | 11598 | NAD83 | 28° 14' 17"836 | 80° 36' 39"786 | -27.40 | -29.15 | 917352.58 | -5547918.76 | 2999782.80 | 1.756 | |
| | | WGS84 | 28 14 17.861 | 80 36 39.771 | -27.40 | -29.15 | 917352.92 | -5547918.34 | 2999783.47 | 0.67 | |
| AFETR NO1 | 10198 | NAD83 | 28 15 18.082 | 80 36 19.301 | -10.65 | -28.47 | 917762.69 | -5546976.22 | 3001424.50 | 17.823 | |
| | | WGS84 | 28 15 18.111 | 80 36 19.262 | -10.65 | -28.47 | 917763.67 | -5546975.63 | 3001425.30 | 0.80 | |
| CX46 PED 187.5 | NSWC Deltas | NAD83 | 28 27 25.638 | 80 31 43.026 | -23.78 | -28.68 | 923439.20 | -5535237.87 | 3021128.42 | 4.903 | |
| | | WGS84 | 28 27 25.643 | 80 31 43.021 | -23.78 | -28.68 | 923439.33 | -5535237.77 | 3021128.56 | 0.14 | |
| CID ASTRO 11644 | NAD83 WGS84 Deltas | 28 25 07.519 | 80 35 34.290 | -25.92 | -29.19 | 917563.16 | -5538265.49 | 3017388.48 | 3.265 | | |
| | | 25 07.555 | 80 35 34.277 | -25.92 | -29.19 | 917563.43 | -5538264.92 | 3017389.45 | 0.97 | | |
| NPF DOP STA | 32029 Deltas | NAD83 | 28 11.010 | 80 34 43.706 | -9.48 | -28.33 | 918483.28 | -5535400.32 | 3022363.18 | 18.850 | |
| | | WGS84 | 28 11.022 | 80 34 43.686 | -9.48 | -28.33 | 918483.79 | -5535400.05 | 3022363.52 | 0.34 | |
| CX47 DOP STA | 32044 Deltas | NAD83 | 28 32 56.431 | 80 34 04.212 | -19.66 | -28.28 | 918854.36 | -5531078.27 | 3030079.63 | 8.619 | |
| | | WGS84 | 32 56.455 | 80 34 04.186 | -19.66 | -28.28 | 918855.91 | -5531077.80 | 3030080.27 | 0.47 | |
| NITRO | 11635 Deltas | NAD83 | 28 36 06.828 | 80 38 25.138 | -23.54 | -28.69 | 911400.28 | -5529466.52 | 3035225.27 | 5.154 | |
| | | WGS84 | 36 06.855 | 80 38 25.117 | -23.54 | -28.69 | 911400.76 | -5529466.03 | 3035225.99 | 0.72 | |
| CIGAR | 11698 Deltas | NAD83 | 28 27 51.460 | 80 39 14.309 | -22.78 | -28.57 | 911265.17 | -5536872.06 | 3021827.76 | 5.794 | |
| | | WGS84 | 27 51.494 | 80 39 14.273 | -22.78 | -28.57 | 911266.05 | -5536871.41 | 3021828.69 | 0.93 | |
| RML 3 | 11619 Deltas | NAD83 | 28 01 29.604 | 80 41 04.940 | -20.32 | -28.39 | 912025.86 | -5560102.99 | 2978930.88 | 8.073 | |
| | | WGS84 | 01 29.639 | 80 41 04.922 | -20.32 | -28.39 | 912026.25 | -5560102.41 | 2978931.84 | 0.96 | |
| Mean Deltas (9) | | | | | | | | | | | 0.69 <u>+0.28</u> <u>-0.18</u> |

DATUM SHIFTS (JDIF)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEODETIC HEIGHT (m) | X | Y | Z | ELEV (m) |
|---------|---------|-------|-----------------|----------------|------------------------|------------------------|-----------|-------------|------------|----------|
| J.D. | 11517 | NAD83 | 26° 58' 56"51.5 | 80° 06' 30"808 | -17.35 | -28.00 | 977054.17 | -5603209.12 | 2876466.55 | 10.651 |
| PARK | | WGS84 | 26 58 56.548 | 80 06 30.783 | -17.35 | -28.00 | 977054.78 | -5603208.54 | 2876467.46 | |
| Deltas | | | | | | | | | | |
| | | | | | | | 0.61 | 0.58 | 0.91 | |

DATUM SHIFTS (Folly Beach, SC)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEODETIC HEIGHT (m) | X | Y | Z | ELEV (m) |
|---------|---------|-------|----------------|----------------|------------------------|------------------------|-----------|-------------|------------|----------|
| MIKE | 11786 | NAD83 | 32° 41' 08"282 | 79° 53' 14"998 | -31.44 | -34.05 | 943462.02 | -5289880.52 | 3424650.54 | 2.611 |
| | | WGS84 | 32 41 08.301 | 79 53 14.959 | -31.44 | -34.05 | 943462.96 | -5289880.03 | 3424651.04 | |
| Deltas | | | | | | | | | | |
| | | | | | | | 0.94 | 0.49 | 0.50 | |

DATUM SHIFTS (Richmond, FL)

| STATION | STA NO. | DATUM | LATITUDE (N) | LONGITUDE (W) | GEODETIC HEIGHT (m) | GEODETIC HEIGHT (m) | X | Y | Z | *ELEV (m) |
|---------|---------|-------|----------------|----------------|------------------------|------------------------|-----------|-------------|------------|-----------|
| TIMER | 20038 | NAD83 | 25° 36' 50"734 | 80° 23' 02"627 | -20.90 | -24.90 | 961318.37 | -5674056.89 | 2740564.17 | 4.002 |
| | | WGS84 | 25 36 50.762 | 80 23 02.609 | -20.90 | -24.90 | 961318.80 | -5674056.44 | 2740564.95 | |
| DELTA | | | | | | | | | | |
| | | | | | | | 0.43 | 0.45 | 0.78 | |

* Feb 79 Elevation

DISTRIBUTION LIST

| ORGANIZATION | NO. COPIES |
|--|-------------------|
| ESMC/RGO, PAFB, FL | 1 |
| ESMC/XR, PAFB, FL | 1 |
| CSR, Operational Analysis, PAFB, FL | 2 |
| 6555th ASTG, CCAFS, FL | 2 |
| AFSC/TEOO, Andrews AFB, Washington, DC | 1 |
| NASA/MS TG-CID-3A/KSC, FL | 1 |
| Martin Marietta, KSC, FL | 1 |
| DMA/PR, Washington, DC | 1 |
| DMASC/WG, St. Louis, MO | 1 |
| DMAHTC/GSS, F.E.Warren AFB, WY | 2 |
| NOTU/General Electric, CCAFS (Roy Station) | 1 |
| JHU/APL (Tom Milnes, 8-114), Laurel, MD | |
| 20707 | 1 |
| DMASC/SGC (Haschel White) | 1 |